

11/24/00  
 139250  
 ROBERT E. BUSHNELL\*†  
 JOSEPH G. SEEGER°  
 JOHN C. BROSKY°+\*  
 WARREN R. CREW+\*  
 MATTHEW J. LESTINA‡\*  
 DEVINDER S. SAHOTA‡\*  
 RICHARD H. STERN°

**R. E. BUSHNELL**  
 ATTORNEY AT LAW  
 1522 K STREET, N.W., SUITE 300  
 WASHINGTON, D.C. 20005-1202  
 UNITED STATES OF AMERICA

INTELLECTUAL PROPERTY LAW  
 TELEPHONE (202) 408-9040  
 FACSIMILE (202) 289-7100  
 FACSIMILE (202) 628-3835  
 FACSIMILE (410) 747-0022  
 E-MAIL: REBUSHNELL@AOL.COM


MICHAEL D. PARKER  
 DANIEL A. GESELOWITZ, Ph.D.  
 (REG. PATENT AGENTS)

† ADMITTED IN MARYLAND  
 ° ADMITTED IN VIRGINIA  
 + ADMITTED IN PENNSYLVANIA  
 ‡ ADMITTED IN NEW YORK  
 ° ADMITTED IN CONNECTICUT  
 \* NOT ADMITTED IN D.C.

Assistant Commissioner for Patents  
 Washington, D.C. 20231

24 November 2000

- ☐ U.S. Postal Service  
☐ Via Local Courier  
☐ Via International Courier  
☐ Via Facsimile No. \_\_\_\_\_  
☐ Via E-Mail Attachment  
☐ Please Acknowledge Receipt



Attorney Docket: P56218

Sir:

Submitted herewith is the following patent application:

**Inventor: CHANG-WOONG YOO**

**Title: COMPUTER SYSTEM AND METHOD CAPABLE OF  
 AUTOMATICALLY INPUTTING PRODUCT KEY OF A  
 SOFTWARE PROGRAM UPON REINSTALLING THE  
 PROGRAM THEREON**

Please find attached hereto an application for patent which includes: Specification and Abstract, Claims, original Declaration And Power of Attorney, Assignment, and a certified copy of the foreign priority document identified below:

Verified Showing of Small Entity Status: **NO**

Drawings: Formal drawings, 12 sheets, Figures 1 through 12

Claim of priority under 35 U.S.C. §119: **YES**

\*\* The Republic Of Korea Application No. 52232/1999 filed on 23 November 1999

**FEE (see formula below): CHECKS ARE ENCLOSED (## 37711, 37712)**

**Basic Fee \$345/690 ..... \$710.00**

**Additional Fees:**

Total number of claims in excess of 20: 2 times \$9/18 . **\$36.00**

Number of independent claims in excess of 3: 1 times \$40/80 ..... **\$80.00**

Multiple Dependent Claims \$130/260 ..... **\$0.00**

An Assignment is likewise enclosed: Recording Fee \$40 . . **\$40.00**

Filing Non-English specification ..... **\$0.00**

**TOTAL FEES FOR THE ABOVE APPLICATION ..... \$866.00**

09718371 11/24/00

Assistant Commissioner for Patents  
24 November 2000  
Page Two

Docket No.: P56218

**Inventor:**      **CHANG-WOONG YOO**

**Title:**            **COMPUTER SYSTEM AND METHOD CAPABLE OF  
AUTOMATICALLY INPUTTING PRODUCT KEY OF A  
SOFTWARE PROGRAM UPON REINSTALLING THE  
PROGRAM THEREON**


Assistant Commissioner is authorized to charge our Deposit Account No. 02-4943 for any additional charges necessary towards payment of the issue fee for the above-referenced application. Please notify the undersigned attorney of any transaction regarding our Deposit Account.

In view of the above, it is requested that this application be accorded a filing date pursuant to 37 CFR 1.53(b).

Please address all correspondence to:

Robert E. Bushnell  
1522 K Street, N.W.  
Suite 300  
Washington, D.C. 20005

Respectfully submitted,

  
\_\_\_\_\_  
Robert E. Bushnell  
(Registration No. 27,774)  
Payor No.: 008-439  
Attorney for the Applicant  
1522 K Street, N.W.  
Suite 300  
Washington, D.C. 20005

Telephone: (202) 408-9040  
Telefacsimile: (202) 628-0755

REB/kf



11/24/00

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**FEE TRANSMITTAL**

Patent fees are subject to annual revision.

**Complete If Known**

Application Number	to be assigned
Filing Date	24 November 2000
First Named Inventor	CHANG-WOONG YOO
Examiner Name	to be assigned
Group/Art Unit	to be assigned

TOTAL AMOUNT OF PAYMENT (\$ 866.00)

Attorney Docket No. P56218

**METHOD OF PAYMENT (check one)****FEE CALCULATION (continued)**

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

**3. ADDITIONAL FEES**

Deposit Account Number: 02-4943  
 Deposit Account Number: \_\_\_\_\_

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
105	1356t	205	65	Surcharge-late filing fee or oath	\$
127	50	227	25	Surcharge-late provisional filing fee or cover sheet	\$
139	130	139	130	Non-English specification	\$
147	2,520	147	2,520	For filing a request for reexamination	\$
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	\$
113	1,840 *	113	1,840*	Requesting publication of SIR after Examiner action	\$
115	110	215	55	Extension for reply within first month	\$
116	390	216	195	Extension for reply within second month	\$
117	890	217	445	Extension for reply within third month	\$
118	1,390	218	695	Extension for reply within fourth month	\$
128	1,890	228	945	Extension for reply within fifth month	\$
119	310	219	155	Notice of Appeal	\$
120	310	220	155	Filing a brief in support of an appeal	\$
121	270	221	135	Request for oral hearing	\$
138	1,510	138	1,510	Petition to institute a public use proceeding	\$
140	110	240	55	Petition to revive - unavoidable	\$
141	1,240	241	620	Petition to revive - unintentional	\$
142	1,240	242	620	Utility issue fee (or reissue)	\$
143	440	243	220	Design issue fee	\$
144	600	244	300	Plant issue fee	\$
122	130	122	130	Petitions to the Commissioner	\$
123	50	123	50	Petitions related to provisional applications	\$
126	240	126	240	Submission of Information Disclosure Statement	\$
581	40	581	40	Recording each patent assignment per property (Times number of properties)	\$40.00
146	710	246	355	Filing a submission after final rejection (37 C.F.R. §1.129(a))	\$
149	710	249	355	For each additional invention to be examined (37 C.F.R. §1.129(b))	\$
Other Fee (specify) _____					\$
Other Fee (specify) _____					\$
** Reduced by Basic Filing Fee Paid					
<b>SUBTOTAL (3)</b>					<b>\$40.00</b>

**FEE CALCULATION****1. BASIC FILING FEE**

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
101	710	201	355	Utility filing fee	\$
106	320	206	160	Design filing fee	\$
107	490	207	245	Plant filing fee	\$
108	710	208	355	Reissue filing fee	\$
114	150	214	75	Provisional filing fee	\$
<b>SUBTOTAL (1)</b>					<b>(\$ <u>710.00</u>)</b>

**2. EXTRA CLAIM FEES**

			Extra Claims		Fee from below		Fee Paid
Total claims	22	-20** =	2	x	18.00	=	36.00
Independent Claims	4	-3** =	1	x	80.00	=	80.00
Multiple Dependent						=	
** or number previously paid, if greater; For Reissues, see below							
Large Entity		Small Entity		Fee Description	Fee Paid		
Fee Code	Fee (\$)	Fee Code	Fee (\$)				
103	18	203	9	Claims in excess of 20			
102	80	202	40	Independent claims in excess of 3			
104	270	204	135	Multiple dependent claim, if not paid			
109	80	209	40	** Reissue independent claims over original patent			
110	18	210	9	** Reissue claims in excess of 20 and over original patent			
<b>SUBTOTAL (2)</b>					<b>(\$ <u>116.00</u>)</b>		

**SUBMITTED BY****Complete (if applicable)**

Typed or Printed Name

Robert E. Bushnell, Esq.

Reg. Number

27,774

Signature

Date

24 November 2000

Deposit Account User ID

REB/kf

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

**TITLE OF THE INVENTION**

**COMPUTER SYSTEM AND METHOD CAPABLE OF AUTOMATICALLY  
INPUTTING PRODUCT KEY OF A SOFTWARE PROGRAM UPON  
REINSTALLING THE PROGRAM THEREON**

**CLAIM OF PRIORITY**

This application makes reference to, incorporates the same herein, and claims all benefits accruing under 35 U.S.C §119 from an application entitled *Computer System And Method Capable Of Automatically Inputting Product Key Of A Software Program Upon Reinstalling The Program Thereon* earlier filed in the Korean Industrial Property Office on 23 November 1999, and there duly assigned Serial No. 99-52232 by that Office.

**FIELD OF THE INVENTION**

The present invention relates to a computer system and, more particularly, to a computer system capable of automatically inputting a product key of a software program upon reinstalling the program in the computer system and method of reinstalling a software program.

## BACKGROUND OF THE INVENTION

Every general-purpose computer has an operating system to provide a user interface between a user and the computer and to run other programs on the computer. Operating system programs provide a software platform on top of which other programs, called application programs, are able to run, and perform basic tasks, such as recognizing an input from a keyboard, sending an output to a display apparatus, keeping track of files and directories on disks, and controlling peripheral devices such as disk drives and printers.

Currently, most PC manufacturers provide a bundle of basic and essential software programs already installed in the computers being offered for sale, for user's convenience. Thus, upon purchasing a new computer, a user has no need to install such programs, and all that is required is for the user to register the installed programs with the programs' manufacturers.

If a user bought a computer operated with a Windows® 98 operating system program, he may first add information to some part of the program to his computer if necessary and compose the program to his environment, such as inscription of his name, keyboard composition, time setting, and so on, to complete the installation of the program.

In such a user program install process, a user must correctly input a product key of the program into product key input window, otherwise the program cannot be completely installed and will not operate until the correct product key is input. In other software programs, which must be completely installed by the user, the product key, also known as the product ID, product certificate information or serial number, must be correctly entered before any part of the program can be installed.

1 Current software programs, however, have complex product key structures (e.g., the  
2 Windows® 98 program has a product key of 25 characters), thus there is a high probability that an  
3 error occurs in inputting the product key unless a user carefully checks each character of a product  
4 key. Also, since software program product keys are typically stored in a specific area of a hard disk  
5 in the hard disk drive, should the user have to reinstall the software programs on his/her computer  
6 due to a software failure or due to damage to a portion of the hard disk, etc, then the user must  
7 manually input the product keys again for the software being reinstalled. However, if the user cannot  
8 find the authentication certificate of a program and has no record of the product key of the program,  
9 he cannot reinstall the software. Moreover, if the operating system software had to be reinstalled,  
10 or a disk recovery operation needed to be performed, and the user had no record of the product key  
11 for the operating system software, the computer would be inoperable until either new software was  
12 purchased or, if the software was properly registered, the manufacturer could provide the necessary  
13 information to the user.

## 14 SUMMARY OF THE INVENTION

15 Therefore, an object of the present invention is to provide computer systems and methods  
16 capable of improving product key retention reliability.

17 It is another object of the present invention to provide computer systems and methods  
18 capable of conveniently reinstalling software programs that require product key input.

19 According to an aspect of the present invention, a computer system having an operating  
20 system program containing product key information includes a first storage step for storing the

operating system program, a second storage step for storing the product key information of the operating system program when the operating system program is first installed in the first storage step, a write means for writing the product key information in the second storage step, and input means for reading out the product key information from the memory means and inputting the read-out information in an information input window for product authentication of the operating system program when a reinstalled operating system program is matched with an operating system program corresponding to the product key information written in the memory means.

According to another aspect of the present invention, a computer system has a central processing unit (CPU), a main memory, a BIOS ROM, and an auxiliary memory for storing information set by the BIOS ROM, and uses an operating system program containing product key information. A method of writing the product key information in the auxiliary memory when the operating system program is installed first comprises the steps of making a user manually input the product key information corresponding to a procedure of installing the operating system program; executing the product key information writing program; and writing the manually input product key information into the auxiliary memory.

According to further another aspect of the present invention, a computer system has an operating system program containing product key information and comprising a central processing unit (CPU), a main memory, an auxiliary memory for storing the product key information, and at least one auxiliary memory device. A method of automatically inputting the product key information manually input by a user when the operating system program is first installed comprises the steps of reading out the product key information from the auxiliary memory; checking whether the read-

1 out product key information is matched with product key information of an operating system  
2 program that will be reinstalled; and, if matched, automatically inputting the product key information  
3 in a product key information input window of the operating system program.

#### 4 BRIEF DESCRIPTION OF THE DRAWINGS

5 A more complete appreciation of the present invention, and many of the attendant  
6 advantages thereof, will become readily apparent as the same becomes better understood by  
7 reference to the following detailed description when considered in conjunction with the  
8 accompanying drawings in which like reference symbols indicate the same or similar components,  
9 wherein:

10 Fig. 1 is a perspective view showing a computer system according to the present invention;

11 Fig. 2 shows a product key input window displayed on a display screen of a computer system  
12 upon installing a software program that requires product key input;

13 Fig. 3 is a block diagram showing a circuit configuration of an embodiment of a computer  
14 system of Fig. 1;

15 Fig. 4 shows a storage region of the CMOS RAM shown in Fig. 3;

16 Fig. 5 shows a format of a program install flag according to the present invention;

17 Fig. 6 shows a first format of a product key code according to the present invention;

18 Fig. 7 shows a second format of the product key code according to the present invention;

19 Fig. 8 shows a code table for use with the code format of Fig. 7;

20 Fig. 9 shows a third format of the product key code according to the present invention;



Fig. 10 shows a code table for use with the code format of Fig. 9;

Fig. 11 is a flowchart showing a program install process according to the present invention;

and

Fig. 12 is a flowchart showing a program re-install process according to the present invention.

### DESCRIPTION OF THE PREFERRED EMBODIMENT

Fig. 1 shows a computer system 100 according to the present invention, which comprises a system unit 90, a display device 110, an alphanumeric input device 120 such as a keyboard, and a point device 130 such as a mouse. The system unit 90 is equipped with one or more hard disk drives (HDDs) 140 (and 144 of Fig. 3), a compact disk read only memory (CD-ROM) drive 150, a floppy disk drive (FDD) 170, and other mass storage devices such as a digital versatile disk (DVD) player (not shown).

Also, the computer system 100 contains a bundle of software programs including an essential part of an operating system (OS) program and other application programs, all of which are installed by a computer manufacturer or user and stored in the hard disk drive 140.

A commercial software program, such as a Windows® OS program, is usually provided with a manual 10 including an authentication certificate for the program. For example, the authentication certificate of a Windows® 98 OS program contains a product key 12 printed thereon. Additionally, the product key may be printed on a label (not shown) attached to the case 161 for compact disk 160 having the Windows® 98 OS program stored thereon. A product key 12 of a

Windows® 98 OS program is composed of 25 characters.

Fig. 2 shows a product key input screen 20 displayed on a display screen of display device 110 upon installing a software program that requires the user to input the product key. In such an installation process, it is required to correctly input a product key 12 of the program in a product key input window 22 of the product key input screen 20.

Fig. 3 shows a circuit configuration of the computer system 100 as shown in Fig. 1. Referring to Fig. 3, the computer system 100 includes a central processing unit (CPU) 102, a main (RAM) memory 104, a basic input output system (BIOS) ROM 106, a complementary metal oxide semiconductor (CMOS) random access memory (RAM) 108 for BIOS setup, a video controller 112, an input/output (I/O) controller 114, an intelligent or integrated drive electronics (IDE) controller 116, and an FDD controller 118, all of which are coupled to a bus such as a processor bus, a peripheral component interconnect (PCI) bus, an industrial standard architecture (ISA) bus, or a system management (SM) bus.

I/O controller 114 is coupled to the alphanumeric input device 120 such as a keyboard and to the pointing device 130 such as a mouse. IDE controller 116 is coupled to one or more hard disk drives (HDDs) 140 and 144. And, FDD controller 118 is coupled to the FDD 170.

BIOS ROM 106 stores a BIOS program that controls the booting operation of the computer system using HDD 140 or CD-ROM 160 in accordance with the information stored in CMOS RAM 108.

As is well known, although the CMOS RAM 108 is a volatile memory, it is operated by a battery and thus acts like a non-volatile memory. That is, the CMOS RAM 108 always retains the

1 BIOS setup information without loss of the information upon system power-off.

2 The computer system 100 also includes a product key input program installed by the  
3 manufacturer and stored in the HDD 140. The product key input program writes a product key of a  
4 software program into the CMOS RAM 108 used for BIOS setup of the computer 100. The product  
5 key input program preferably is installed when an OS program is installed for the first time.

6 The system 100 further includes a system recovery CD-ROM 160 that contains a system  
7 recovery program for the recovery of the software programs stored in the hard disk drive 140. When  
8 OS and application programs of the computer 100 become defective, the system recovery program  
9 restores those defective programs to their original installation states. According to the present  
10 invention, the recovery program automatically writes a product key stored in the CMOS RAM 108  
11 into a product key window 22 when a program is reinstalled.

12 In the system memory map, the CMOS RAM 108 corresponds to I/O ports 70h-73h. The  
13 ports 70h and 71h are the IBM® personal computer standard CMOS RAM ports, and the other ports  
14 72h and 73h are additional ports according to the present invention. The port 72h is used to store an  
15 offset value of a location of the CMOS RAM 108 that is subjected to a read or write operation. A  
16 data item is read from or written into the location indicated by the offset value via the port 73h. That  
17 is, the additional ports 72h and 73h serve as additional index and data ports of the CMOS RAM 108,  
18 respectively.

19 For example, assuming that an offset value is stored in a storage location 38h of the CMOS  
20 RAM 108, a processor, such as the CPU 102, reads a data item corresponding to the offset value  
21 from the CMOS RAM 108 as shown in the following Table 1.

TABLE 1

MOV AL, 38h ; (38h) ? AL
OUT 72h, AL ; (AL) ? 72h
IN AL, 73h ; (73h) ? AL

First, a content of location 38h (i.e., an offset value) is moved into a register AL in the processor. The processor then writes the offset value stored in its register AL into the index port 72h of the CMOS RAM 108 so that a data item stored in a CMOS RAM location corresponding to the offset value is read out and stored in the data port 73h of the CMOS RAM 108. Thereafter, the processor reads the data item from the data port 73h and stores it into its register AL. In this manner, a product key of an software program such as an OS program, stored in the CMOS RAM 108, can be read out from a specific area thereof under the control of the recovery program.

In the computer system 100, HDDs 140 and 144 act, respectively, as a primary device containing at least one OS program for system booting and a secondary device for optional functions. While the primary HDD 140 stores an OS program 142 and application software programs, the secondary HDD 144 stores a copy version 146 of the recovery program 162 contained in the recovery CD-ROM 160. The copied program 162 is used to restore the OS and application programs to their initial installation states.

CD-ROM drive 150 can be used as a boot device, like HDD 140. Also, when a software program fails, the CD-ROM drive 150 can directly recover or reinstall the programs using the CD-ROM 160. At this time, the CD-ROM drive 150 reads a product key of the software program from CMOS RAM 108, and then automatically inputs it into a product key input window 22 produced by the CD-ROM 160 upon reinstallation of the defective software program.

Fig. 4 shows a storage region 180 of the CMOS RAM 108 shown in Fig. 3. Referring to Fig. 4, the storage region 180 of CMOS RAM 108 includes BIOS areas 182 and 194, a checksum area 184, a program install flag area 186, a product key area 188, a recovery CD booting menu area 190, and a recovery mode information area 192.

The BIOS areas 182 (00h-DFh) and 194 (FEh-FFh) are available to a BIOS only and cannot be employed for other use.

The checksum area 184 (E0h) is used to determine whether a product key written into the CMOS RAM 108 is correct by checking whether a result of summing up contents of the product key storage area 188 with contents of the program install flag area 186 by bytes is zero ('0').

The program install flag area 186 (E1h-E2h) is used for indicating which program is being installed. In other words, a product key presently being stored in the CMOS RAM 108 is provided for which program.

The recovery CD booting menu area 190 (FCh) stores information about the boot device that is determined by BIOS CMOS setup, as shown in Table 2.

TABLE 2

Setting Code	Boot Device
1	FDD
2	HDD
3	CD-ROM drive
4	PCMCIA device
5	USB device
6	Embedded Network device

The recovery mode information area 192 (FDh) is used to store information about functions that will be carried out after system booting using the recovery CD-ROM 160, in which the information is stored by bytes. As shown in Table 3, the area 192 determines whether the system 100 will be restored to its initial state or only an OS program will be installed.

TABLE 3

Setting Code	Contents
0	Restore System To Initial State
1	Installing Only an OS Program

The product key input storage area 188 (E3h-FBh) preferably has a 25-byte storage size and

each character of the product key is preferably represented by an 8-bit ASCII code. However, area 188 may have various sizes enough to retain all the product key characters of the programs installed in the system 100, and each character may be represented by a 6-bit code, a 5-bit code, or other codes defined by computer makers in accordance with the character numbers of product keys.

Fig. 5 shows a format of a program install flag 186a according to the present invention. Referring to Fig. 5, the program install flag 186a is an 8-bit code. In Fig. 5, X symbols mean 'don't care' values, i.e., it doesn't matter if each bit of 4-bit codes has any of the hex values 0h-Fh. The lower 4-bit portion, bit0-bit3, of the flag 186a indicates the types of software programs installed such as Windows® OS programs, or other application programs. For example, the lower bit portion of '0h' indicates that no program is installed, '1h' indicates that Windows® 98 is installed, and '2h' indicates that Windows® 98 SE is installed. the upper 4-bit portion, bit4-bit7, of the flag 186a indicates the bit formats of the product keys. For example, the upper bit portion of '0h' indicates an eight-bit format, '1h' indicates a 6-bit format, and '2h' indicates a 5-bit format. For example, when a Windows® 98 SE OS program is installed, each character of the OS program's product key is preferably encoded into 8 bits with lower 4 bits of '2h' and upper 4 bits of '0h'.

Fig. 6 shows an 8-bit format 188a of a product key code according to the present invention. As shown in Fig. 6, characters of a product key of '43...HBB' are encoded into 8-bit ASCII codes, respectively, and then are stored in the product key area 188 (E3h-FBh) of the CMOS RAM 108. For example, the first character B of ASCII code '01000010' is stored at storage location E3h, and the last character 4 of ASCII code '00110100' is stored at location FBh.

Fig. 7 shows a 6-bit format 188b of the product key code, and Fig. 8 shows a code table 200 for use with the code format 188b. Referring to Fig. 7, each character code has 2 higher-order bits TH and 4 lower-order bits FL. For example, the ASCII character 'A' is represented by a 6-bit code '010001' in accordance with the code table of Fig. 8. This format 188b permits representing the product key having a maximum number of 32 ASCII characters as 24 bytes using a compress conversion process. That is, as shown in Fig. 7, an example of 4 characters are encoded into 3 bytes using the code table 200 of Fig. 8. A 6-bit code of a character is encoded by subtracting 30h from the value of a corresponding ASCII code so that the value of the 6-bit code is in a range of 00h-3Fh. For Example, the ASCII character 'Z' has a hex value of 5Ah; subtracting 30h from 5Ah results in a hex value 2Ah; and the binary value of 2Ah is 00101010. Thus the 6-bit code of the ASCII character 'Z' is 101010. In limiting the 6-bit code to a range of 00h-3Fh (binary values 000000~111111) the product key may include the ASCII characters shown in Fig. 8 with the reservation area being available for the ASCII characters (' and a~o).

Fig. 9 shows a 5-bit format 188c of the product key code, and Fig. 10 shows a code table 210 for use with the code format 188c. Referring to Fig. 9, each character code has 1 higher-order bit OH and 4 lower-order bits FL. For example, the ASCII character 'Y' is represented by a 5-bit code '10000' in accordance with the code table of Fig. 10. This format 188c allows 3 characters to be encoded into 2 bytes using the code table 210 of Fig. 10 and the compress conversion process of Fig. 9, so that it can represent a product key having up to 40 ASCII characters.

Fig. 11 is a flowchart showing a program install process according to the present invention. For convenience of explanation, the process of Fig. 11 will be described using a specific example,



1 i.e., a user install process of an OS program, such as one of the Windows® family, however, it  
2 should be understood that the inventive concept of the present invention is applicable to installation  
3 of other software programs.

4 As described earlier in the background section of this specification, most PC makers  
5 provide computers installed with a bundle of basic and essential software programs. Thus, upon  
6 purchasing a new computer with an OS program and upon turning on the computer, S220, a user may  
7 be required to first add some part of the OS program to his computer such as registering user  
8 information S222.

9 Thereafter, the user may have to input a product key of the OS program, S224, which is  
10 stored in a specific area of HDD 140, so that the installation of the OS program continues, S226. At  
11 this time, a processor, such as CPU 102, executes the product key input program stored in the HDD  
12 140, S228 so that the product key is read out from the HDD 140 and is written into the CMOS RAM  
13 108, S230. After completion of writing the product key into the CMOS RAM 108, the key input  
14 program stored in the HDD 140 is automatically uninstalled stored from the HDD 140, since it is no  
15 longer needed, S232. At this time, the installation of the OS program may not be fully complete, so  
16 in step S234, the OS program continues to be installed until finished.

17 Fig. 12 is a flowchart showing a program recovery (or re-install) process according to the  
18 present invention. Referring to Fig. 12, when the OS program stored in the HDD 140 becomes  
19 defective, first, a processor, such as CPU 102, executes the system recovery program 162 stored in  
20 the system recovery CD-ROM 160 by using the CD-ROM drive 150, or system recovery program  
21 146 stored in the HDD 144, in order to restore the defective program to its original installation state,

1 S240. Next, the processor reads out the product key of the defective OS program from the CMOS  
2 RAM 108, S242.

3 After a checksum of the read-out product key is checked, S244, to identify the correctness  
4 of the read-out data, it is determined whether or not the read-out product key is matched with the  
5 product key of the OS program, S246, stored in the system recovery program (162 or 146). If so, the  
6 read-out product key is input to a product key input window 22 for reinstallation of the OS program,  
7 S248, but if not, the processor instructs the user to input the product key of the OS program, S250.

8 The foregoing description of the embodiments of the present invention has been presented  
9 for purposes of illustration and description. It is not intended to limit the present invention to the  
10 embodiments disclosed, and obviously many modifications and variations are possible in light of the  
11 above teachings.

**WHAT IS CLAIMED IS:**

1           1.       A computer system having a central processing unit, a main memory, a BIOS ROM,  
2       a display device, and input devices, and using an operating system program containing product key  
3       information, the computer system comprising:

4           storing means for storing the operating system program;

5           memory means for storing the product key information of the operating system, said product  
6       key information being input by a user, when the operating system program is installed in the storing  
7       means;

8           writing means for writing the product key information in the memory means; and

9           input means for reading out the product key information from the memory means and  
10       inputting the read-out product key information in an information input window for product  
11       certification of the operating system program when a product key of an operating system program  
12       being reinstalled is matched with the read-out product key information.

1           2.       The computer system of claim 1, wherein the storing means is a boot device.

1           3.       The computer system of claim 1, wherein the memory means further stores  
2       information indicating the type of operating system program that was installed and indicating a  
3       compress conversion process of the product key information.

1           4.     The computer system of claim 1, wherein the writing means is a program installed  
2     in the storing means.

1           5.     The computer system of claim 1, wherein the input means is a program.

1           6.     In a computer system having a central processing unit, a main memory, a BIOS ROM,  
2     and an auxiliary memory for storing information set by the BIOS ROM, and using an operating  
3     system program containing product key information, a method of writing the product key  
4     information into the auxiliary memory when the operating system program is first installed, the  
5     method comprising the steps of:

6                 making a user manually input the product key information corresponding to a procedure of  
7     installing the operating system program;

8                 executing a product key information writing program; and

9                 writing the manually input product key information into the auxiliary memory.

1           7.     The method of claim 6, further comprising a step of deleting the product key  
2     information writing program after the product key information is written into the auxiliary memory.

1           8.     In a computer system having an operating system program containing product key  
2     information and comprising a central processing unit, a main memory, an auxiliary memory having  
3     the product key information, manually input by a user when the operating system program was first

4 installed, stored therein, a method of automatically re-inputting the product key information when  
5 reinstalling the operating system program, the method comprising the steps of:

6 reading out the product key information from the auxiliary memory;

7 checking whether the read-out product key information is matched with product key  
8 information of an operating system program that will be reinstalled; and

9 if matched, automatically inputting the product key information in a product key information  
10 input window displayed on a screen corresponding to an installation procedure for installing the  
11 operating system program.

1 9. The method as set forth in claim 8, wherein said step of checking comprises  
2 comparing the read-out product key information with product key information of an operating system  
3 program stored on a recovery CD-ROM in a CD-ROM drive.

1 10. The method as set forth in claim 8, wherein said step of checking comprises  
2 comparing the read-out product key information with product key information of an operating system  
3 program stored on a hard disk of a recovery hard disk drive.

1 11. A system recovery method for computer system having a central processing unit, at  
2 least one hard disk drive, a BIOS ROM, a CMOS RAM, a CD-ROM drive, a display device, and  
3 input devices, said computer system using an operating system program stored on a hard disk in said  
4 hard disk drive, said system recovery method comprising the steps of:

5 manually inputting, using one of said input devices, product key information corresponding  
6 to said operating system program, said product key information being input into a product key input  
7 window of a product key input screen displayed on said display device;

8 executing a key input program stored on said hard disk for writing said product key  
9 information into a predetermined storage area of said CMOS RAM;

10 executing a recovery program stored in a recovery storage device when said operating system  
11 program fails;

12 reading out said product key information from said CMOS RAM when said recovery  
13 program is executed;

14 comparing said product key information read out from said CMOS RAM with product key  
15 information stored in said recovery storage device; and

16 automatically inputting the product key information read out from said CMOS RAM into said  
17 product key input window of the product key input screen displayed on said display device.

1 12. The method as set forth in claim 11, further comprising a step of storing said product  
2 key information manually input into said product key input window onto said hard disk.

1 13. The method as set forth in claim 12, said step of executing a key input program  
2 comprising the steps of:

3 reading said product key information from said hard disk;

4 encoding said product information using a compression conversion process to produce  
5 encoded product key information; and  
6 storing said encoded product key information in said predetermined storage area of said  
7 CMOS RAM.

1 14. The method as set forth in claim 13, further comprising a step of uninstalling said key  
2 input program from said hard disk after said storing step.

3 15. The method as set forth in claim 13, wherein said product key information is  
4 comprised of a plurality of ASCII characters and said compression conversion process comprises the  
5 steps of:

6 converting each ASCII character into a six bit code; and  
7 generating hexadecimal values for storage in said CMOS RAM by grouping the bits of the  
8 six bit codes corresponding to every four ASCII characters into three bytes.

1 16. The method as set forth in claim 15, wherein said step of converting each ASCII  
2 character into a six bit code comprises subtracting the hexadecimal value 30h from the hexadecimal  
3 of the ASCII character.

17. The method as set forth in claim 15, wherein said step of converting each ASCII character into a six bit code comprises reading preset hexadecimal values for each ASCII character from a code table and changing the read hexadecimal values to binary values.

18. The method as set forth in claim 13, wherein said product key information is comprised of a plurality of ASCII characters and said compression conversion process comprises the steps of:

converting each ASCII character into a five bit code; and  
generating hexadecimal values for storage in said CMOS RAM by grouping the bits of the five bit codes corresponding to every three ASCII characters into two bytes.

19. The method as set forth in claim 18, wherein said step of converting each ASCII character into a five bit code comprises reading preset hexadecimal values for each ASCII character from a code table and changing the read hexadecimal values to binary values.

20. The method as set forth in claim 11, further comprising a step of checking a checksum of said product key information read out from said CMOS RAM before comparing said product key information read out from said CMOS RAM with product key information stored in said recovery storage device.



1           22.     The method as set forth in claim 11, wherein the step of executing a recovery program  
2     comprises reading a recovery program stored on a recovery CD-ROM in a CD-ROM drive.

Page 22 of 23

**ABSTRACT OF THE DISCLOSURE**

A computer system having an OS program containing a product key, wherein the product key information is automatically applied upon execution of a recovery program. In release of a computer system of which an OS program is partially installed, the computer system has a hard disk drive including a product key input program for writing a product key of the OS program in a CMOS RAM, and a CD-ROM drive including a recovery program for recovering an OS program and application programs to an initial state. When the computer system is first powered on, the installation of the OS program continues, wherein the product key input program displays a screen requesting the user to input the product key in a product key window. Thereafter the input product key will be stored the CMOS RAM. Should a defect of the hard disk drive or critical error of the OS program occur, the OS program may need be reinstalled or a recovery program may be run to recover the initial states of the OS program and the application programs. The product key stored in the CMOS RAM will be used during the recovery or re-install process, so that the user does not have to manually input the product key again.

Fig. 1




Fig. 2




Fig. 3

100




Fig. 4




Fig. 5

186a

1 Byte Code		Contents
bit7~bit4	bit3~bit0	
X	0h	Not installed
X	1h	Installation Of A First Program
X	2h	Installation Of A Second Program
⋮	⋮	⋮
X	Fh	⋮
0h	X	A First Format Of Product Key
1h	X	A Second Format Of Product Key
2h	X	A Third Format Of Product Key
⋮	⋮	⋮
Fh	X	⋮


Fig. 6

188a

Address	Input Characters	1 Byte(ASCII) Code
FBh	4	0011 0100
FAh	3	0011 0011
⋮	⋮	⋮
E5h	H	0100 1000
E4h	B	0100 0010
E3h	B	0100 0010



Fig. 7





# Fig. 9




Fig. 10

FL (4-Bit)	0h	1h	2h	3h	4h	5h	6h	7h	8h	9h	Ah	Bh	Ch	Dh	Eh	Fh
OH (1-Bit)	B	C	D	F	G	H	J	K	M	P	Q	R	T	V	W	X
1h	Y	2	3	4	6	7	8	9	Reservation							

Fig. 11





Fig. 12



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

CHANG-WOONG YOO

Serial No.: *to be assigned*

Examiner: *to be assigned*

Filed: 24 November 2000

Art Unit: *to be assigned*

For: COMPUTER SYSTEM AND METHOD CAPABLE OF AUTOMATICALLY  
INPUTTING PRODUCT KEY OF A SOFTWARE PROGRAM UPON  
REINSTALLING THE PROGRAM THEREON


**TRANSMITTAL OF DECLARATION**

Assistant Commissioner  
for Patents  
Washington, D.C. 20231

Sir:

This transmittal accompanies the original Declaration for the above-referenced application.

Respectfully submitted,



Robert E. Bushnell,  
Attorney for the Applicant  
Registration No.: 27,774

Suite 300, 1522 "K" Street, N.W.  
Washington, D.C. 20005  
(202) 408-9040

Folio: P56218  
Date: 11/24/00  
I.D.: REB/kf

00444 "K" STREET, N.W.

## DECLARATION

Docket No. P50210

PTO/SB/01 (6/95)

AS A BELOW NAMED INVENTOR, I hereby declare that

My residence, post office address and citizenship are as set out next to my name.

I believe that I am the original, first and sole (if only one name is listed below), or an original, first and joint inventor (if plural names are listed below), of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**TITLE: COMPUTER SYSTEM AND METHOD CAPABLE OF AUTOMATICALLY INPUTTING PRODUCT KEY OF A SOFTWARE PROGRAM UPON REINSTALLING THE PROGRAM THEREON**

the specification of which either is attached hereto or otherwise accompanies this Declaration, or

☐ was filed in the U.S. Patent & Trademark Office on \_\_\_\_\_ and assigned Serial No. \_\_\_\_\_

☐ and (if applicable) was amended on \_\_\_\_\_

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability and to the examination of this application in accordance with Title 37 of the Code of Federal Regulations §1.56. I hereby claim foreign priority benefits under Title 35, U.S. Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, or §119(e) of any United States provisional application(s), listed below and have also identified below any foreign applications for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

52232/1999 (Application Number)	Republic of Korea (Country)	23 November 1999 (Day/Month/Year filed)
_____ (Application Number)	_____ (Country)	_____ (Day/Month/Year filed)

 Prior: Claimed  
 Yes [X] No [ ]

Yes [ ] No [ ]

I hereby claim the benefit under Title 35, U.S. Code, §110, of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of Title 35, U.S. Code, §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, The Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)	(Filing Date)	(STATUS: patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (STATUS: patented, pending, abandoned)

I hereby revoke all previously granted powers of attorney and appoint the following attorneys: Robert E. Bushnell, Reg. No. 27,774, Michael D. Parker, Reg. No. 34,973, and Darren R. Crew, Reg. No. 37,806, to prosecute this application and to transact all business in the U.S. Patent & Trademark Office connected therewith and with any divisional, continuation, continuation-in-part, reissues or re-examination application, with full power of appointment and with full power to substitute an associate attorney or agent, and to receive all patents which may issue thereon, and request that all correspondence be addressed to:

 Robert E. Bushnell,  
 Attorney-at-Law  
 Suite 300, 1522 "K" Street, N.W.  
 Washington, D.C. 20005-1202

 Payer No. 008439  
 Area Code: 202-408-9040

I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 U.S. Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

 FULL NAME OF FIRST OR SOLE INVENTOR: CHANG-WOONG YOO

 Citizenship: Republic of Korea

 Inventor's signature: CHANG-WOONG YOO

 Date: 11/17/2000

 Residence & Post Office Address: 101-101, Ingye Samsung Apt, Ingye-dong, Paldal-ku, Suwon, Kyunggi-do, Republic of Korea

FULL NAME OF SECOND JOINT INVENTOR: \_\_\_\_\_

Citizenship: \_\_\_\_\_

Inventor's signature: \_\_\_\_\_

Date: \_\_\_\_\_

Residence &amp; Post Office Address: \_\_\_\_\_

FULL NAME OF THIRD JOINT INVENTOR: \_\_\_\_\_

Citizenship: \_\_\_\_\_

Inventor's signature: \_\_\_\_\_

Date: \_\_\_\_\_

Residence &amp; Post Office Address: \_\_\_\_\_

FULL NAME OF FOURTH JOINT INVENTOR: \_\_\_\_\_

Citizenship: \_\_\_\_\_

Inventor's signature: \_\_\_\_\_

Date: \_\_\_\_\_

Residence &amp; Post Office Address: \_\_\_\_\_

☐ Additional inventors are being named on separately numbered sheets attached hereto.



## DECLARATION

AS A BELOW NAMED INVENTOR, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe that I am the original, first and sole (if only one name is listed below), or an original, first and joint inventor (if plural names are listed below), of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**TITLE: COMPUTER SYSTEM AND METHOD CAPABLE OF AUTOMATICALLY INPUTTING PRODUCT KEY OF A SOFTWARE PROGRAM UPON REINSTALLING THE PROGRAM THEREON**

the specification of which either is attached hereto or otherwise accompanies this Declaration, or:

☐ was filed in the U.S. Patent & Trademark Office on \_\_\_\_\_ and assigned Serial No. \_\_\_\_\_

☐ and (if applicable) was amended on \_\_\_\_\_

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability and to the examination of this application in accordance with Title 37 of the Code of Federal Regulations §1.56. I hereby claim foreign priority benefits under Title 35, U.S. Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, or §119(e) of any United States provisional application(s), listed below and have also identified below any foreign applications for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>52232/1999</u>	<u>Republic of Korea</u>	<u>23 November 1999</u>	Priority Claimed:
(Application Number)	(Country)	(Day/Month/Year filed)	Yes [ X ] No [ ]

(Application Number)	(Country)	(Day/Month/Year filed)	Yes [ ] No [ ]
----------------------	-----------	------------------------	----------------

I hereby claim the benefit under Title 35, U.S. Code, §120, of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of Title 35, U.S. Code, §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, The Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(STATUS: patented, pending, abandoned)
--------------------------	---------------	--

(Application Serial No.)	(Filing Date)	(STATUS: patented, pending, abandoned)
--------------------------	---------------	--

I hereby revoke all previously granted powers of attorney and appoint the following attorneys: Robert E. Bushnell, Reg. No. 27,774, Michael D. Parker, Reg. No. 34,973, and Darren R. Crew, Reg. No. 37,806, to prosecute this application and to transact all business in the U.S. Patent & Trademark Office connected therewith and with any divisional, continuation, continuation-in-part, reissue or re-examination application, with full power of appointment and with full power to substitute an associate attorney or agent, and to receive all patents which may issue thereon, and request that all correspondence be addressed to:

Robert E. Bushnell,  
Attorney-at-Law  
Suite 300, 1522 "K" Street, N.W.  
Washington, D.C. 20005-1202  
Payor No. 008439  
Area Code: 202-408-9040

I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 U.S. Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF FIRST OR SOLE INVENTOR: CHANG-WOONG YOO Citizenship: Republic of Korea

Inventor's signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Residence & Post Office Address: 101-1101, Ingye Samsung Apt., Ingye-dong, Paldal-ku, Suwon, Kyunggi-do, Republic of Korea

FULL NAME OF SECOND JOINT INVENTOR: \_\_\_\_\_ Citizenship: \_\_\_\_\_

Inventor's signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Residence & Post Office Address: \_\_\_\_\_

FULL NAME OF THIRD JOINT INVENTOR: \_\_\_\_\_ Citizenship: \_\_\_\_\_

Inventor's signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Residence & Post Office Address: \_\_\_\_\_

FULL NAME OF FOURTH JOINT INVENTOR: \_\_\_\_\_ Citizenship: \_\_\_\_\_

Inventor's signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Residence & Post Office Address: \_\_\_\_\_

☐ Additional inventors are being named on separately numbered sheets attached hereto.